ANNUAL FISH PASSAGE REPORT ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON 1961

Marine Biological La oratory

LIBRALL

MAS G 1963

WOODS HOLE, MASS.





UNITED STATES DEPARTMENT OF THE INTERIOR, Stewart L. Udall, Secretary

FISH AND WILDLIFE SERVICE, Clarence F. Pautzke, Commissioner
BUREAU OF COMMERCIAL FISHERIES, Donald L. McKernan, Director

ANNUAL FISH PASSAGE REPORT - ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON, 1961

by

Paul D. Zimmer and John H. Broughton



United States Fish and Wildlife Service Special Scientific Report--Fisheries No. 421

Washington, D. C. April 1962



Rock Island Dam, Columbia River, Washington

CONTENTS

	Page
Introduction	1
Counting procedures	1
Enumeration of fish	2
Chinook salmon, Oncorhynchus tshawytscha	2
Chinook salmon jacks	2
Sockeye salmon, Oncorhynchus nerka (blueback or red)	2
Coho salmon, Oncorhynchus kisutch (silver)	2
Steelhead trout, Salmo gairdneri gairdneri	2
Miscellaneous fish	3
Weather and river discharge data	3
Activities and observations	3
Summary	5



ANNUAL FISH PASSAGE REPORT - ROCK ISLAND DAM COLUMBIA RIVER, WASHINGTON, 1961

by

Paul D. Zimmer, Fishery Biologist (Management) and John H. Broughton, Fishery Technician

ABSTRACT

Important runs of salmon and steelhead trout pass Rock Island Dam on the Columbia River.

Count of 33,067 chinook salmon in 1961 was well above the mean of 15,560 for the 28-year period 1933-60 and exceeded the 1960 count of 26,532. Sockeye salmon count of 19,233 was slightly more than one-third the 28-year mean of 53,079. Only 50 coho salmon were recorded in 1961. Greatest number of coho salmon, 229, occurred in 1947. The 7,042 steelhead trout passing Rock Island Dam in 1961 was the highest count recorded since counting began in 1933 and was more than twice the 28-year mean of 3,063. 140,173 fish other than salmon and steelhead trout passed through the fishways at Rock Island Dam in 1961.

INTRODUCTION

Rock Island Dam, located on the Columbia River approximately 12 miles downstream from the city of Wenatchee, Wash., has been in operation since 1933. The plant is owned and operated by Chelan County Public Utility District No. 1.

This report on passage of fish at Rock Island Dam during 1961 provides information on operation of fishways and numbers of fish utilizing upstream fish passage facilities.

Rock Island Dam is now equipped with three fishways: one located on the right bank,

Note.--Paul D. Zimmer and John H. Broughton, Bureau of Commercial Fisheries, Columbia Fisheries Program Office, U.S. Fish and Wildlife Service, Portland, Ore.

another on the left bank, and the third approximately in the center of the dam. Two of the fish ladders were placed in operation in 1933, and the third (middle ladder) was constructed in 1935-36. All three ladders have undergone significant modifications since initial construction.

Included in this report are comments covering various investigations carried on at Rock Island Dam during 1961.

COUNTING PROCEDURES

Fish counting in 1961 began on May 1 and terminated on October 27. From May 1 to August 19, counting was conducted 16 hours each day, starting at 5 a.m. and ending at 9 p.m. From August 20 to September 30, to

conform to hours of daylight available, counting was reduced to 14 hours each day, starting at 5 a.m. and ending at 7 p.m. From October 1 to October 9, counting was further reduced to 8 hours each day, starting at 8 a.m. and ending at 4 p.m. From October 10 to October 27, counting was conducted from 8 a.m. to 5 p.m., with 1 hour closure of gates at noon.

A 15-minute rest period was allowed at the end of each hour, and during all periods of noncounting, ladders were closed to passage of fish.

ENUMERATION OF FISH

Chinook Salmon,
Oncorhynchus tshawytscha

The chinook salmon count in 1961 of 33,067 (jacks included) was well above the mean of 15,560 for the 28-year period 1933-61. The count increased over the 1960 run and was a little more than half the peak annual count of 50,713 in 1957 (table 1). Monthly totals of chinook salmon counted are given in table 2. Maximum day's count of chinook salmon, jacks not included, in 1961 was 692 on August 7 (table 3). Tables 4 and 5 show semimonthly totals of number and percentage of chinook salmon count which ascended each fish ladder.

Chinook Salmon Jacks

Some chinook salmon return from the ocean during the year following their seaward migration and are referred to as "jacks." These fish are predominantly males and are smaller than the average. It has been determined at Rock Island Dam that up to June 30 of each year, jacks rarely, if ever, exceed 18 inches in length, while the balance of the fish appreciably exceed that length. Likewise, from July 1 to the end of the season, jacks rarely, if ever, exceed 22 inches in length. Consequently, jacks at Rock Island Dam are identified by considering all chinook salmon 18 inches or less in length prior to July 1 as jacks, and all chinook salmon 22 inches or less in length subsequent to June 30 as jacks. Maximum day's count of chinook salmon jacks was 199 and occurred on September 18 (table 3). The 9,260

fish recorded as jacks constitute 28.0 percent of the 1961 chinook salmon run.

Table 5 shows number and percent of chinook salmon jack count which ascended each fish ladder. Monthly totals are given in table 2.

Sockeye Salmon, Oncorhynchus nerka (blueback or red)

The sockeye salmon count of 19,233 for 1961 was less than half the 28-year mean of 53,079 (table 1). In 1961 peak of the run was reached on July 14, when 1,289 fish were counted through the fishways at Rock Island Dam.

In recent years attention has been drawn to the many small sockeye salmon appearing at Rock Island Dam. During the 1961 counting period at Rock Island Dam sockeye salmon under 16 inches in length were enumerated as small fish. Number of sockeye salmon recorded as "small" was 3,497 (6,6 percent).

Tables 6 and 7 show semimonthly totals of number and percentage of sockeye salmon count ascending each ladder. Of the sockeye salmon passing Rock Island Dam in 1961, 65.6 percent ascended the left ladder, while 9.9 and 24.5 percent ascended the middle and right ladders, respectively. Data pertaining to sockeye salmon daily counts are contained in tables 9-14. Monthly totals of sockeye salmon counted in 1961 are given in table 2.

Coho Salmon, Oncorhynchus kisutch (silver)

The coho salmon count of 50 fish in 1961 was slightly less than the 28-year mean of 61, and slightly more than half the 1960 count (table 1). Additional data are shown in tables 11 and 12. Maximum day's count of 8 fish occured on October 4 (table 2).

Steelhead Trout, Salmo gairdneri gairdneri

The steelhead trout count of 7,042 in 1961 was well above the 28-year mean of 3,063 (table 1).

Additional data pertaining to steelhead trout daily counts are contained in tables 7-12.

Maximum day's count in 1961 was 269 on September 19 (table 2).

Table 6 shows semimonthly totals of number and percentage of steelhead trout which ascented each fish ladder.

Miscellaneous Fish

In 1961, enumeration was made of species of fish other than salmon and steelhead trout passing Rock Island Dam. Data pertaining to these fish are given in tables 15-20. No claims are made as to complete accuracy of identification of these fish. It is felt, however, that the degree of accuracy is consistent with that maintained at other dams on the Columbia River and as such may be used as a rough index of abundance of these fish. In 1961, approximately 140,280 fish other than salmon and steelhead trout passed Rock Island Dam.

WEATHER AND RIVER DISCHARGE DATA

Headwater and tailwater elevations are plotted on figures 1 and 2, respectively. From 1 p.m. on June 9 through June 13 all fish facilities were nonfunctional due to high water. Air temperatures were taken twice daily by pocket thermometer. Water temperatures were taken at center fish ladder by recording thermometer. Daily records of weather conditions and stream flows are shown on tables 9-14. Daily river discharge data are plotted on figure 3.

ACTIVITIES AND OBSERVATIONS

A count of 137 chinook salmon on May 1 indicates that initial movement of these fish probably began prior to that date. This is in striking contrast to the late start of fish on May 18, 1959.




Figure 1.--Headwater elevations, Rock Island Dam, May 1 to October 27, 1961.



Figure 2.--Tailwater elevations, Rock Island Dam, May 1 to October 27, 1961.

As in past years of counting at Rock Island Dam, some fish were observed with cuts or abrasions on the body. Of 40,764 fish examined as they passed over the counting boards, approximately 1.06 percent had injuries of some type either on the body or about the head. Since the counters could see only the top and one side of the fish, the incidence of injury was probably greater than indicated. In period May 1 to July 5 all fish were quite free of injuries. Greatest numbers of injuries were observed during July and August and were most numerous on large chinook and sockeye salmon (table 21). In period July 20 to August 12 counters reported a number of fish with similar injuries. The injury most commonly observed was a circular cut or abrasion about 1 inch in diameter, usually along the side of the fish. Some of these injuries

were newly made as evidenced by the presence of bloody tissue. Others appeared to have been made much earlier as scar tissue was forming.

During extreme high water period June 10-13 a considerable quantity of gravel, silt, and debris was deposited in the right bank fish ladder.

On July 19 counting facilities at left fish ladder were operated from 9:30 p.m. to 11:45 p.m. Between 9:30 p.m. and 9:45 p.m. two chinook and two sockeye salmon passed over the counting board. From 9:45 p.m. to 11:45 p.m. there was no movement of fish observed.




Figure 3.--Daily river discharge, Rock Island Dam, May 1 to October 27, 1961.

The six times that dewatering of fishways at Rock Island Dam occurred in 1961 were as follows:

- 1. Left fish ladder, from 10 p.m. on May 3 to 1 p.m. on May 5, to install electronic counting equipment.
- 2. Right fish ladder, from 10 a.m. to 3 p.m. on June 5, to clean ladder orifices and repair telescopic gate chains.
- 3. Right fish ladder, from 12:45 p.m. to 2:40 p.m. on June 7, to complete ladder repairs.
- 4. All three fish ladders, from 1 p.m. on June 9 to start of counting on June 14, were inoperative due to high water.
- 5. Right fish ladder, from 11 a.m. to 3:15 p.m. on June 29, to replace stoplogs lost during high water period.
- 6. Right fish ladder, from 12:50 p.m. to 2:40 p.m. on July 5, to repair broken gate chain.

SUMMARY

- 1. The total Rock Island Dam count of salmon and steelhead in 1961 was 59,392, which was slightly more than half the 1960 count of 93,183.
- 2. Yearly total counts of salmon and steel-head passing Rock Island Dam during the period 1933-61, inclusive, are given in table 1.
- 3. The chinook salmon count of 33,067 in 1961 was greater than in 1960 and slightly more than half the peak year of 1957. In 1961, 9,260 jacks were recorded, representing 28.0 percent of that year's total chinook salmon counted.
- 4. The sockeye count of 19,233 was slightly less than one-third the 1960 count of 60,341 and considerably less than the 28-year mean of 53,079. A greater percentage of sockeye salmon utilized the left bank ladder than used either the middle or right bank ladders. In 1961, sockeye salmon under 16 inches in length comprised 18.2 percent of the count.

- 5. Very few coho salmon have appeared at Rock Island Dam in the period 1933-61. The greatest count, 229, occurred in 1947. The 1961 count of 50 fish was slightly more than half the 1960 count.
- 6. The steelhead count of 7,042 in 1961 exceeded the 28-year mean of 3,063 and was the highest recorded in the period 1933-61.
- 7. Fish counting in 1961 began on May 1 and terminated October 27. From May 1 to August 19 counting was conducted for 16 hours each day; from August 20 to September 30, 14 hours each day; and from October 1 to October 27, 8 hours each day.
- 8. In 1961 the maximum number of salmonids counted in one day (1,651) was on July 14.

- 9. Season's total of fish other than salmon and steelhead trout passing Rock Island Dam in 1961 was 140,173, and was composed of the following: sucker, 76,797; squawfish, 15,174; whitefish, 23,124; chub, 6,754; and "other fish," composed largely of lamprey and carp, 18,324.
- 10. Of 40,764 fish examined, on the top and one side only, as they passed over the counting boards, approximately 1.06 percent had injuries of some type either on the body or about the head. Greatest numbers of injured fish occurred in July and August. Injuries were most numerous on large chinook and sockeye salmon.
- 11. High water conditions at Rock Island Dam made the fish ladders inoperative from June 9 to 13, inclusive.

Table 1.--Annual counts of salmon and steelhead trout at Rock Island Dam, 1933-61.

	Chinook	Steelhead	Sockeye	Coho	
Year	salmon	trout	salmon	salmon	Total
1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 2/ 1959 1960 1961	5,668 6,482 16,310 ₁ / 7,396 5,133 5,803 11,206 9,492 2,571 6,814 11,145 3,375 5,696 9,992 11,766 7,083 12,353 10,348 18,752 20,121 31,080 33,283 25,658 25,085 50,713 32,457 23,352 26,550 33,067	1,055 583 5,412 ₁ / 2,369 ₁ / 2,214 2,400 ₁ / 5,427 5,550 3,586 2,249 1,329 1,121 1,761 2,115 2,360 2,470 1,852 3,121 2,883 4,001 5,407 3,141 1,540 3,927 3,970 4,138 6,226 7,042	40,737 2,227 14,013 16,501 15,089 17,123 19,591 26,894 949 16,282 17,665 4,932 7,142 45,029 79,834 84,184 18,600 50,134 101,826 114,349 151,747 91,234 155,055 92,443 71,261 98,695 72,351 60,341 19,233	182 69 10 58 78 13 29 1 22 186 166 32 229 40 72 8 27 40 44 39 29 27 60 118 94 50	47,642 9,361 35,745 26,266 22,494 25,404 36,237 41,938 7,110 26,683 31,081 9,822 14,125 56,814 93,656 33,463 62,406 123,707 137,380 186,868 129,968 183,893 119,097 125,928 135,182 99,959 93,211 59,392

¹ Incomplete count.
2 Counts for the period from May 4 through July 15, 1959 were computed by extrapolating sample counts.

Table 2.--Monthly totals of all anadromous fish counted at Rock Island Dam, 1961.

Species	May	June	July	August	Sept.	Oct.	Total		
Chinook	4,520	2,151	5,720	6,413	4,363	640	23,807		
Chinook (jacks)	450	960	934	3,094	3,409	413	9,260		
Steelhead	295	22	167	931	3 , 508	2,119	7,042		
Sockeye (large)	16	164	12,472	3,026	56	2	15,736		
Sockeye (small)	3	48	2,487	956	3	0	3,497		
Coho	0	0	0	0	19	31	50		
Total fish	5,284	3,345	21,780	14,420	11,358	3,205	59,392		

Table 3.--Maximum daily counts, salmon and steelhead, Rock Island Dam, 1961.

Species	Date	Number of fish
Chinook (except jacks)	Aug. 7	692
Chinook (jacks)	Sept. 18	199
Steelhead	Sept. 19	269
Sockeye (large)	July 14	1,133
Sockeye (small)	July 21	190
Coho	Oct. 4	8

Table 4.--Number and percent of chinook salmon counted over each fish ladder, Rock Island Dam, 1961

(jacks not included).

D	ate	Left	ladder	Middle	ladder	Right	ladder	Total
		Number	Percent	Number	Percent	Number	Percent	
May	1-15	872	33.3	672	25.7	1,075	41.0	2,619
May	16-31	290	15.3	1,324	69.7	287	15.0	1,901
June	1-15	570	44.0	463	35.7	262	20.3	1,295
June	16-30	312	36.5	123	14.4	421	49.1	856
July	1-15	2,023	64.6	220	890	28.4	3,133	
July	16-31	1,996	77.1	48	1.9	543	21.0	2,587
Aug.	1-15	4,100	89.2	324	7.1	172	3.7	4,596
Aug.	16-31	1,345	74.0	83	4.6	389	21.4	1.817
Sept.	1-15	1,140	65.5	160	9.3	438	25.2	1,738
Sept.	16-30	1,760	67.0	113	4.4	752	28.6	2,625
Oct.	1-15	285	56.3	70	13.8	151	29.9	506
Oct.	16-27	77	57.4	9	6.7	48	35.9	134
То	tal	14,770	62.0	3,609	15.2	5,428	22.8	23,807

Table 5.--Number and percent of chinook salmon jacks counted over each fish ladder, Rock Island Dam, 1961.

Date	Le	eft ladder	Middle	ladder	Right	ladder	Total
May 1- May 16- June 16- June 16- July 16- Aug. 16- Sept. 1- Sept. 16- Oct. 1-	Numb 15 26 31 5 15 18 30 27 15 20 31 34 15 1,06 31 1,66 31 1,66 30 1,26	Percent 19.4 23.1 39 44.7 72 50.7 51.5 49 64.4 83.3 04 88.1 22 86.3 82.9	-	Percent ' 38.9 52.6 14.9 10.0 13.8 6.6 11.4 3.5 4.6 3.9	Number 90 57 171 211 136 157 67 152 171 203 27	Fercent 41.7 24.3 40.4 39.3 34.7 29.0 5.3 8.4 9.1 13.2 8.1	216 234 423 537 392 542 1,275 1,819 1,878 1,531 332
Oct. 16-		79.0	1	1.0	16	20.0	81
Total	7,01	19 75.8	781	8.4	1,460	15.8	9,260

Table 6.--Number and percent of sockeye salmon (large) counted over each ladder, Rock Island Dam, 1961.

Da	ite	Left 1	adder	Middle	ladder	Right	ladder	Total
		Number	Percent	Number		Nunber	Percent	
May	1-15	0	0	0	0	0	0	0
May	16-31	4	25.0	11	68.0	1	7.0	16
June	1-15	22	44.0	10	20.0	18	36.0	50
June	16-30	72	63.2	1	0.8	41	36.0	114
July	1-15	2,295	62.0	361	1,045	28.2	3,701	
July	16-31	5,636	64.3	680	7.7	2,455	28.0	8,771
Aug.	1-15	1,765	71.6	471	19.1	229	9.3	2,465
Aug.	16-31	377	67.2	54	9.6	130	23.2	561
Sept.	1-15	27	65.9	3	7.3	11	26.8	41
Sept.	16-30	14	93.0	0	0	1	7.0	15
Oct.	1-15	2	100.0	0	0	0	0	2
Oct.	16-27	0	0	0	0	0	0	0
Tot	al	10,214	64.9	1,591	10.1	3,931	25.0	15,736

Table 7.--Number and percent of sockeye salmon (small) counted over each ladder, Rock Island Dam, 1961.

Da	te	Left 1	adder	Middle	ladder	Righ 1	adder	Total		
		Number	Percent	Number	Percent	Number	Percent			
May	1-15	0	0	0	0	0	0	0		
May	16-31	1	33.0	2	67.0	0	0	3		
June	1-15	10	50.0	3	15.0	7	35.0	20		
June	16-30	10	35.7	0	0	18	64.3	28		
July	1-15	427	65.4	66	10.0	161	654			
July	16-31	1,238	67.6	118	6.4	477	26.0	1,833		
Aug.	1-15	645	77.0	107	12.8	85	10.2	837		
Aug.	16-31	75	63.0	19	16.0	25	21.0	119		
Sept.	1-15	3	100.0	0	0	0	0	3		
Sept.	16-30	0	0	0	0	0	0	0		
Oct.	1-15	0	0	0	0	0	0	0		
Oct.	16-27	0	0	0	0	0	0	0		
Tot	al	2,409	68.9	315	9.0	773	22.1	3,497		

Table 8.--Number and percent of steelhead trout counted over each ladder, Rock Island Dam, 1961.

Da	ate	Left	ladder	Middle	ladder	Right I	Ladder	Total
May	1-15	Number 82	Percent 35•5	Number 42	Fercent 18.2	Number 107	Percent 46.3	231
May	16-31	17	25.5	30	17	25.5	64	
June	1-15	5	38.5	7	1	7.7	13	
June	16-30	4	74.4	1	11.1	9		
July	1-15	21	65.7	9	28.1	32		
July	16-31	108	80.0	2	25	18.5	135	
Aug.	1-15	358	77.0	52	11.2	55	11.8	465
Aug.	16-31	332	71.2	27	5.8	107	23.0	466
Sept.	1-15	807	83.8	71	7.4	85	8.8	963
Sept.	16-30	1,864	73.2	327	12.8	354	14.0	2,545
Oct.	1-15	1,131	77•5	230	15.7	99	6.8	1,460
Oct.	16-27	528	80.1	61	9.3	70	10.6	659
Total		5,257	74.7	855	12.1	. 930	13.2	7,042

Table 9. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, May 1961.

Total	18049898898989898989898989898989898989898
Steelhead	は は は で で で で で で で で で で で で で で で で で
Coho	000000000000000000000000000000000000000
Sockeye	00000000000000000000000000000000000000
Chinook	1, 1, 2, 3, 3, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,
Stream flow (c.f.b.)	113, 300 113, 300 1110, 900 1110, 900 1121, 900 1121, 900 1121, 900 1121, 900 1121, 900 121, 900
Water temperature2/	27777777777777777777777777777777777777
temperatures 1/x. Min.	222222222222222222222222222222222222222
Air temper Max.	22223 822222222222222222222222222222222
Date	May 10 0 0 0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1

1 Air temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.
2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit.

Table 10. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, June 1961.

	Total	1943 844 648 944 844 844 844 844 844 844 844 844 8	
	Steelhead	044880000 04804004004440404	
	Coho	00000000 000000000000000	
	Sockeye	101 101 102 102 103 103 103 103 103 103 103 103 103 103	
	Chinook	88 98669386111 11 872 11 872 11 873 11	
Stream flow	(c.f.s.)	417, 400 444, 500 452, 300 452, 300 466, 000 496, 100 517, 400 518, 600 518, 600 518, 600 477, 000 477	
Water 0/	temperature5/	222888827777222233	
ratures 1/	Min.	88888888888888888888888888888888888888	
Air temperatures	Max.	88884 10008311118888888 8448488848888884 844888488888888	
	Date	June 13 8 9 8 9 9 1 9 1 9 1 1 1 1 1 1 1 1 1 1 1	

2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit. 1 Air temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.

Table 11. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, July 1961.

	Total	196	188	232	215	320	326	124	664	413	374	200	549	835	1,651	1,193	992	503	992	926	869	1,344	1,161	1,046	1,013	883	783	834	854	8	989	692	
	Steelhead	0	0 (0	0	0	ч	П	m	m	٦	ч	77	77	2	0,	ന	0	ч	2	77	0	N	4	m	9	9	9	15	ਲ	17	12	
	Coho	0	0 ()	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Sockeye	8	₩.	₹°	2	8	107	109	141	168	153	302	335	543	1,289	985	641	429	654	799	649	1,063	196	116	757	679	553	612	610	164	08.	1463	*
	Chinook	158	153	0 1	167	252	218	31	355	242	220	197	210	288	357	199	122	74	113	170	21.5	272	192	131	253	254	220	516	229	162	589	5건 2	
Stream flow		313, 400	299,200	00) (100	274,800	241,500	245,700	234,700	230,000	216,600	208,500	200,500	199,200	201,800	184,100	182,900	182,900	176,900	181,700	176,900	173,400	172,300	172,300	181,700	170,000	176,900	179,200	173,400	156,900	149,800	137,200	130,100	
Water	temperature 2/	651	20	200	8	8	8	8	8	8	61	61	79	62	62	62	62	63	63	63	63	63	† ₉	19	65	65	65	65	65	65	, 65	1 9	
+emmeratureal	Min.	600	8 (8 8	2	89	29	55	17 9	29	† 79	29	72	74	78	72	47	99	99	89	7, 2	78	82	75	65	63	29	72	99	8	61	19	
Air temp		80	00 0	0 0	8	81	82	62	88	8	95	8	103	104	8	75	83	8	92	95	105	101	95	88	87	88	12	92	48	98	8	95	
	Date	July	24 (ν.	7	2	9		8	0	10	1	12	13	174	15	16	17	18	19	8	ದ	22	23	54	25	56	27	88	29	ଛ	젊	

1 Air temperatures, taken with pocket thermometer, are given in degrees Fahrenheit.
2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit.

	Total	886 933 933 933 933 933 933 933 93	
August 1961.	Steelhead	8 1 8 2 4 4 8 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
nd Dam,	Coho	000000000000000000000000000000000000000	leit.
Rock Island	Sockeye		es Fahrenheit.
count data,	Chinook	3,2,2,5,6,6,5,1,2,2,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6	n in degrees
and fish	Stream flow (c.f.s.)	5,500 5,	leter, are given
ures, stream flow,	Water temperature ² /	444744477777777777777777777777777777777	h pocket thermometer
Ly temperatures,	temperatures x. Min.	642688834456468886896666666666666666666666666666	, taken with
e 12 Daily	Air tempe Max.	£2233888448888388888888888888888888	remperatures
Table	Date	Aug. 100.04.70.00.01.01.01.01.00.01.00.00.00.00.00.00	AIF TE

2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit.

Table 13. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, September 1961.

Total	88 88 88 88 8 8 8 8 8 8 8 8 8 8 8 8 8	
Steelhead	120 120 120 120 120 120 120 120 120 120	
Coho	000000000000000000000000000000000000000	it.
Sockeye	その そ 1 2 2 0 0 0 0 0 8 8 8 8 8 8 8 8 8 8 8 8 8	s Fahrenheit.
Chinook	270 2827 2827 2838 2601 2850 2850 2850 2850 2850 2850 2850 2850	n in degrees
Stream flow (c.f.s.)	6,7,8,4,9,6,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7,7	ter, are given
Water 2/	\$	pocket thermometer
temperatures 1/x. Min.	222222422222222222222222222222222222222	taken with
Air tempe	6488888889465 6457586555566 655756855566 655756855566	temperatures.
Date	Sept. 10 NO BET NO FEET LEST BE DO SET	1 Air tem

Air temperatures, taken with pocket thermometer, are given in degrees raurement. 2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit.

Table 14. -- Daily temperatures, stream flow, and fish count data, Rock Island Dam, October 1961.

	Total	134	172	245	212	182	189	183	80.5	185	135	124	8	29	108	124	120	57	56	117	7	89	92	62	54	52	52 52 53	<u> </u>
	Steelhead	19	162	77.7	128	901	113	140	139	124	8,	87	- 	64	88	95	ま	31	43	82	78	72	59	45	36	43 2	÷ ~	5
	Coho	8	г	m	Φ	Н	m	0	ന	-1	Н,	0	0	0	0	П	0	Ŋ	0	-1	0	0	0		- Т	Д,	-10	
	Sockeye	0	CU	0	0	0	0	0	0 (0 (0 (0 (0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
	Chinook	17	8	128	92	75	73	43	62	3 8	33) m	37 '	18	8	88	56	†2	13	34	33	17	77	16) T	ν α	0 -	
Stream flow	• 1	56,000	56,600	006,7,9	54,300	55,400	53,200	47,400	62,200	02, (00	006,70	73, 300 000, 300	2000	44,300	43,500	43,900	47,800	58,800	74,600	77,100	87,800	54,900	002,64	65,600	000,60	75,000	74,000	
Water	temperature2/	62	62	62	62	62	62	61	19	7 6	3 &	3 2	200	8 (8,	8,	8,	8	8	8	59	59		አ የ	2 2) C	57	
temperatures1/	Min.	77	42	75	43	54	54	66	£ 28	1 0	2 0		V 1	4 - ン・1	Ť.	\$ 5	¥.	745	35	34	34	æ -	4 (6	7 00	Ω Ω Ω) (F	366	
Air tempe	Max.	29	75	75	73	+ 2	χç	× (2	20 -	100	7 O	ر د ر	31	5	2,5	+ (8	65	28	9	20-1	ر ب ب	0 1	1	2, 1	t &	53	
	Date	Oct. 1	CV (m-	7	ını	1 0	<u> </u>	00	75	3 -	100		Υ) 	+ T	ν, τ.	9 1).T	27 5	100 (G	ર્સ હ	ਰ ਹ	200	J 6	20,00	198	27	

1 Air temperatures, taken with pocket thermometer, are given in degrees Fahrenheit. 2 Water temperatures, taken with recording thermometer at center ladder, are given in degrees Fahrenheit.

Table 15. -- Miscellaneous fish count, Rock Island Dam, May 1961.

Total	\$ 20 8 8 6 5 6 5 6 5 6 5 6 5 6 6 6 6 6 6 6 6	7,134
Other 1/	000000000000000000000000000000000000000	ત
Rainbow	00000000000000000000000000000000000000	7
Dolly	000000000000000000000000000000000000000	Ч
Chub	~ 5 5 4 6 0 0 0 0 0 0 0 5 5 5 7 5 7 5 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	372
Whitefish	40 5 4 4 6 8 8 4 4 6 8 4 4 6 8 8 6 6 8 8 6 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 6 7 6 8 8 7 6 8 7 6	1,272
Squawfish	6600327834545888546800000000000000000000000000000	1,161
Sucker	85 88 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	4,325
Date	May 70 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Total

1 Principally carp and lamprey.

Table 16. -- Miscellaneous fish count, Rock Island Dam, June 1961.

Total	8827888 11 888788 11 8 8 8 8 8 8 8 8 8 8 8	7,376	
Other1/	000400000 0000H0H0H0H0H	61	
Rainbow	000000000000000000000000000000000000000	Ø	
Dolly Varden	000000001111000000000000000000000000000	0	
Chub	840~~ao100 800~~~ao108a84~od	174	
Whitefish	4 d wwa a o o o o w w u o o o o o a w w u u a a u	48	
Squawfish	3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1,837	d lamprey.
Sucker	25	5,218	ly carp and
Date	June 10 8 9 8 9 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1		1 Principally

19

Table 17. -- Miscellaneous fish count, Rock Island Dam, July 1961.

Total	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	22,275	
Other 1	688 577 588 8 51 4 8 8 8 5 5 5 5 4 8 6 8 5 5 5 5 6 8 6 5 5 6 6 6 6 6 6 6 6	2,806	
Rainbow	000000000000000000000000000000000000000	0	
Dolly	000001000000000000000000000000000000000	4	
Chub	นึง ขนี่นี่ปุ _{® 4} นี่นี่อี ข® อีฮี พ® ๑ ขพ นี่® 4 พนี ขนั พ ี่ฉี ผ พ	304	
Whitefish	23 7 8 8 4 2 8 6 5 8 5 8 4 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8	605	
Squawfish	386 388 364 173 103 103 103 103 103 103 103 103 103 10	4,582	nd lamnray
Sucker	1, 093 875 875 875 1,093	13,974	משמים
Date	10 m + 10 p p 2 1 1 2 2 2 2 2 8 8 8 8 8 8 8 8 8 8 8 8		1 Principally

Principally carp and lamprey.

	Total	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	43,788	
1961.	Other 7	4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4	13,616	
Dam, August	Rainbow trout	NN000000000000000000000000000000000000	9	
Island	Dolly Varden	000000000000000000000000000000000000000	4	
count, Rock	Chub	2004 - 1288 - 129 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1,942	
fish	Whitefish	らど 5 2 2 5 2 5 5 5 8 8 6 7 2 5 4 9 9 8 8 5 9 4 5 4 5 4 5 4 6 5 6 5 6 8 8 7 8 7 5 4 9 9 8 8 5 9 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5	1,400	
18 Miscellaneous	Squawfish	138 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3,685	
Table	Sucker	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	23,135	17
	Date	**************************************		1 2

1 Principally carp and lamprey.

Table 19. -- Miscellaneous fish count, Rock Island Dam, September 1961.

Total	1 1, 1, 1, 0, 1, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	41,425
Other-1/	~ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,708
Rainbow	~0000000000000000000000000000000000000	7
Dolly Varden	000000000000000000000000000000000000000	0
Chub	882321 282525252525252525252525252525252525252	3,817
Whitefish	8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	6,204
Squawfish	[1919 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	3,490
Sucker	557 311 321 321 321 551 773 773 773 773 773 773 773 773 775 773 775 773 775 773 775 773 775 773 775 775	26,199
Date	Sept. 10 m 4 m 6 m 6 m 7 m 7 m 8 m 8 m 8 m 8 m 8 m 8 m 8 m 8	

1 Principally carp and lamprey.

	Total	1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	18,285	
1961.	Other 1/	13-54-24-000000000000000000000000000000000	85	
Dam, October	Rainbow	000000000000000000000000000000000000000	0	
Island	Dolly Varden	000000000000000000000000000000000000000	0	
count, Rock	Chub	000 F F W W P P P P P P P P P P P P P P P P	66	
fish	Whitefish	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	13,079	
20 Miscellaneous	Squawfish	4488010408480448046885444aa4co	1.1.4	
Table 2	Sucker	2444 2466 2466 2466 2466 2466 2466 2466	4,545	
	Date	28.98.98.98.98.98.98.98.98.98.98.98.98.98		

Principally carp and lamprey.

Table 21. -- Injured fish observed at Rock Island Dam, July 19-October 27, 1961.

		10401	F	Common de la la	POL	то+о
		TOTAL	nament		70.0	י משך
		fish	Left	Center	Right	injured
Date	Species	counted	ladder	ladder	Ladder	fish
July 19-29	Chinook	1,878	35	0	_	45
	Jаскв	736	т,	0	0	ч
	Sockeye	8,037	<u>-</u> 약	0	ន	59
	Steelhead	102	7	0	0	1
July 30-Aug. 12	Chinook	984,4	50	1	9	63
	Јаскв	166	m	0	0	ന
	Sockeye	3,948	93	ო	7	26
	Steelhead	378	2	0	0	2
Aug. 13-26	Chinook	2,045	745	ત	∞ .	52
	Jacks	1,546	→	-	0	1
	Sockeye	ල ස	ଷ	-1	0	ನ
	Steelhead	475	0	0	0	0
Aug. 27-Sept. 9	Chinook	1,332	ଝ	m		3
	Jacks	1,711	Q	0	0	ત્ય
	Sockeye	72	٦	0	Н	ત્ય -
	Steelhead	181	0	0	0	0
Sept. 10-23	Chinook	2,843	OT	†	(15
	Jacks	1,810	-1	0	O	٦,
	Sockeye	5,	rl -	0 (0 0	⊣ -=
	Steelbead	2,155	+	0	0	+ 4
Sept. 24-0ct. 7	Chinook	856	2	0	0	Λ,
	Jacks	71.5	0	0	0 (0 (
	Sockeye		0	0	Э)
	Steelhead	1,720	6	0	0	6
Oct. 8-21	Chinook	273	ന	0	0	m (
	Jacks	156	0	0	0)
	Sockeye		0 -	0	0 (O -
	Steelhead	1,119	7	0	0	†
0ct. 22-27	Chinook	147	0	0	0	0
	Jacks	27	0	0	0	0 (
	Sockeye	0	0	0	0	0
	Steelhead	259	0	0	0	0
Total		197 Of	370	לל	147	7,32
183		, c	2	1	!	<u> </u>



